



DRAWN BY: FERN LIDDELL




REMOVABLE RAIN TIGHT HAND HOLE COVER WITH GASKET ~ FASTEN WITH TWO STAINLESS STEEL (ASTM F 593) SCREWS

VIEW A




① T = RIM PLATE THICKNESS BY LUMINAIRE POLE FABRICATOR
 ② t = SIZE OF FILLET WELD BY LUMINAIRE POLE FABRICATOR

SECTION B




CONDUCTOR ATTACHMENT DETAIL

CONFIGURATIONS VARY AMONG DIFFERENT MANUFACTURERS




ANCHOR BOLT DETAIL


ALL NUTS, BOLTS, WASHERS, AND RODS SHALL BE FULLY GALVANIZED IN ACCORDANCE WITH **ASTM F2329**



ANCHOR PLATE



ISOMETRIC VIEW



SEE NOTE 4
PLACEMENT DETAIL

NOTES

1. See **Standard Plan C-85.15** for foundation and anchor bolt details.
2. Round and smooth all edges around hand hole and along the wire-way to protect the conductors.
3. See **Standard Plan J-28.70** for wiring details.
4. Install grout after plumbing the pole.



Aug 27, 2021

STEEL LIGHT STANDARD BARRIER MOUNTED BASE
STANDARD PLAN J-28.60-03

SHEET 1 OF 1 SHEET

APPROVED FOR PUBLICATION
 [Signature] Aug 27, 2021
 STATE DESIGN ENGINEER
 Washington State Department of Transportation