

# Appendix W

# Trestle Pavement Depths

Terminal	Type	Pavement Area (sq ft)	Pavement Thickness (in) Values(s) (ave)
Anacortes (AUX)	Timber	15180	1.5 - 3 (2.25)
Anacortes (MAIN)	Timber		3
Bainbridge (N)	Concrete	38430	1.5 - 3 (2.25)
Bainbridge (C)	Concrete		4
Bainbridge (S)	Concrete		2.5 - 6 (4.25)
Bremerton	Concrete	9600	2.5
Clinton (N)	Concrete	113900	2.5 - 8.5 (5.5)
Clinton (S)	Concrete		3 - 8 (5.5)
Coupeville	N/A	0	N/A
Eagle Harbor	Timber	84500	2
Edmonds	Timber	14900	1.5 - 3 (2.25)
Fauntleroy (N)	Timber	43000	1.5 - 3 (2.25)
Fauntleroy (S)			1.5 - 5.25 (3.5)
Friday Harbor	Timber	8366	2
Kingston (AUX-South)	Concrete	32670	<u>2.5</u>
Kingston (MAIN-North)	Concrete		<u>5</u>
Lopez	Timber	2000	2
Mukilteo	Timber	6000	1.5 - 3 (2.25)
Orcas	Timber	3000	2 - 3 (2.5)
Point Defiance	Timber	2700	2 - 3 (2.5)
Port Townsend	Concrete	53800	2 - 4
Seattle (N)	Timber	113000	2
Seattle (S)	Concrete	133000	2-3+
Shaw	Timber	2650	NA
Southworth	Timber	22100	1.5 - 3 (2.25)
Tahlequah	Timber	4200	1.5 - 3 (2.25)
Vashon	Timber	42200	1.5 - 3 (2.25)

