Herbicides Approved for Use on WSDOT Rights of Way

- 1. Always read and follow product labels
- 2. Always use personal protective equipment when mixing, loading, and applying

Chemical Name	Product Names	Mode of Action (WSSA Class)	Where Used	How/Why Used	Notes/ Recommendations	WSDOT Restrictions	Cautions
2,4-D	Agri Star 2, 4-D LV4, Basecamp Amine 4, Clean Amine, Crossbow, Curtail, ES, Escalade, Low Vol 4 Ester, Platoon, Rangestar, Savage, Solution, Veteran 720, Weedar 64, WeedDestroy, Weedmaster, Weedone LV4		Noxious and nuisance weed control, and tree and brush control, Zones 2 and 3	Selective broadleaf treatment	Ester and acid formulations of 2,4-D may provide a good alternative to amine formulations. A number of the 2,4-D products come premixed with other herbicides.	Amine formulations of 2,4-D are restricted for use within 60' of all water	Amine formulations cause irreversible eye damage and are highly toxic to rainbow trout. All 2,4-D products pose risks when applied near grapes and other sensitive crops.
Aminocyclopyrachlor	Perspective Plainview Streamline Viewpoint	Growth regulator - mimics plant hormones, synthetic auxin (4)	Nuisance and noxious weed control Zones 2 and 3, Plainview is a bare-ground mixture	Depending on which mixture, can be either selective broadleaf or non-selective pre- emergent control	Each product is premixed with other herbicide to achieve either selective or non-selective control	No WSDOT use restrictions beyond those specified on product labels	Refer to product labels
Aminopyralid	Milestone Milestone VM Milestone VM Plus Capstone		Nuisance and noxious weed control Zones 2 and 3	Selective broadleaf treatment	Effective on many perennial weed species due to some amount of soil residual activity on suppressing seed germination	No WSDOT use restrictions beyond those specified on product labels	Refer to product label
Bromacil	Krovar 1 DF Hyvar	Photosynthetic inhibitor - photosystem II, site A (5)	Zone 1 bare-ground	Nonselective pre- emergent grass and weed control	Krovar is premixed with diuron	Westside - Restricted use Eastside - Krovar restricted for use within 60' of all water	Bromacil is potentially mobile in soil, use caution if rain is possible.
Bromoxynil	Buctril 2EC BroClean Brox 2E Maestro 2EC	Photosynthetic inhibitor - photosystem II, site C (6)	Noxious and nuisance weed control, Zones 2 and 3	Selective broadleaf treatment	Effective broadleaf weed control without grass seed suppression	Westside - Restricted use Eastside - Restricted for use within 60' of all water	Can cause irreversible eye damage, highly toxic to fresh water fish
Chlorsulfuron	Telar XP Landmark XP Throttle XP Perspective	Amino acid synthesis inhibitors - ALS inhibitor (2)	Noxious and nuisance weed control, Zones 2 and 3	Selective broadleaf treatment	Product highly effective on difficult perennials such as Canadian thistle and horsetail. Landmark is premixed with Oust.	beyond those specified on product	Refer to product labels
Clopyralid	Transline Curtail		Noxious and nuisance weed control, Zones 2 and 3	Selective broadleaf treatment	Curtail is premixed with 2,4-D, Pathfinder is premixed with triclopyr		Curtail contains 2,4-D amine which causes irreversible eye damage and is highly toxic to rainbow trout

Herbicides Approved for Use on WSDOT Rights of Way

- 1. Always read and follow product labels
- 2. Always use personal protective equipment when mixing, loading, and applying

Chemical Name	Product Names	Mode of Action (WSSA Class)	Where Used	How/Why Used	Notes/ Recommendations	WSDOT Restrictions	Cautions
Dicamba	Vanquish Veteran 720 Dicamba HD E2 Escalade Range Star Viewpoint	Growth regulator - benzoic acidsynthetic auxin (4)	Noxious and nuisance weed control, and tree and brush control, Zones 2 and 3	Selective broadleaf treatment	Vanquish is the dicamba formulation without 2,4-D		Veteran 720 contains 2-4-D amine which causes irreversible eye damage and is highly toxic to rainbow trout
Dichlobenil	Norosac 4G Casoron	Cell wall (cellulose) synthesis inhibitor (20)		Pre-emergent weed control in ground cover beds. Post emergent control of grasses.	Highly effective for pre-emergent control of unwanted weeds in ornamentals	Restricted for use within 60' of all water	Dichlobenil is highly toxic to aquatic insects
Diflufenzopyr	Overdrive	Auxin transport inhibitor (19)	Noxious and nuisance weed control, Zones 2 and 3	Selective broadleaf treatment		No WSDOT use restrictions beyond those specified on labels	Refer to product label
Diuron		Photosynthetic inhibitor - photosystem II, site B (7)		Nonselective pre- emergent grass and weed control	Cost effective weed control for Zone 1 in Eastern Washington	Westside - Restricted use Eastside - Restricted for use within 60' of all water	Highly toxic to fish.
Flumioxazin	Payload	Cell membrane disrupter - PPO inhibitor (14)	Zone 1 bare-ground	Nonselective pre- emergent weed control	Requires constant agitation to keep in suspension	Restricted for use within 60' of all salt water	Highly toxic to estuarine invertebrates
Fluroxypyr		Growth regulator - pyridinecarboxylic acid synthetic auxin (4)	Noxious and nuisance weed control, Zones 2 and 3	Selective broadleaf treatment	Highly effective on Kochia	No WSDOT use restrictions beyond those specified on product labels	Highly toxic to Eastern Oyster, high surface runoff potential
Fosamine	Krenite S	Growth regulator - inhibits bud and leaf formation (27)	Tree and brush control in Zones 2 & 3	Selective broadleaf treatment	Effective broadleaf tree control without visual impacts	No WSDOT use restrictions beyond those specified on labels	Refer to product labels
Glyphosate	Razor Pro	Amino acid synthesis inhibitor - EPSP synthase inhibitor (9)	Zone 1, spot spray around shrub and tree plantings, aquatic weed control (Rodeo, Aquamaster)	Nonselective control of all vegetation	Rodeo, Aquamaster and Aquaneat are approved for use in or over water. Aquatic versions of glyphosate products are approved for use with NPDES permit.	No WSDOT use restrictions beyond those specified on product labels	Refer to product labels

Herbicides Approved for Use on WSDOT Rights of Way

- 1. Always read and follow product labels
- 2. Always use personal protective equipment when mixing, loading, and applying

Chemical Name	Product Names	Mode of Action (WSSA Class)	Where Used	How/Why Used	Notes/ Recommendations	WSDOT Restrictions	Cautions
Imazapic	Plateau	Amino acid synthesis inhibitors - ALS inhibitor (2)	All zones	undesirable grasses	WSDOT tests plots show a significant impact on desirable perennial grasses at rates above 6 oz per acre.		Moderate to high potential to leach into groundwater
.,	Arsenal Habitat Polaris Sahara DG Imazuron	Amino acid synthesis inhibitors - ALS inhibitor (2)	All zones	Pre and post-emergent non-selective control of all vegetation	Habitat is an aquatic version of Arsenal - good alternative to glyphosate in certain cases, approved for use with NPDES permit.	No WSDOT use restrictions beyond those specified on product labels	High surface runoff potential
Isoxaben	Gallery 75DF	Cell wall (cellulose) synthesis inhibitor (20)	Turf & Ornamental	Pre-emergent weed control in ground cover beds	Works well by itself or with Ronstar	Restricted for use within 60' of all water	Moderate to high potential to leach into groundwater
,		inhibitors - ALS inhibitor	Noxious and nuisance weed control, and tree and brush control, Zones 2 and 3	Selective broadleaf and conifer treatment	Good control on many difficult perennials.	No WSDOT use restrictions beyond those specified on product labels	Refer to product labels
Norflurazon	Predict	Bleaching - carotenoid biosynthesis inhibitor (12)	Zone 1 bare-ground	Pre-emergent weed control in Zone 1 and ground cover beds	Good Zone 1 product but may be difficult to keep in suspension	Restricted for use within 60' of all water	High surface runoff potential
	Oryzalin A.S. Surflan A.S	Seedling growth inhibitor - microtubule assembly inhibitor (3)	Zone 1 Ornamental planting beds	Pre-emergent weed control in Zone 1 and ground cover beds	Product requires additional rinsing to thoroughly remove residues from empty container	Restricted for use within 60' of all water	Highly toxic to fish
	Ronstar G Ronstar WSP	Cell membrane disrupter - PPO inhibitor (14)	Turf & Ornamental	Pre-emergent weed control in ground cover beds	Works well by itself or with Gallery	Restricted for use within 60' of all water, gardens, plants bearing edible fruit	Highly toxic to fish
	Pendulum 2G Pendulum Aqua	Seedling growth inhibitor - microtubule assembly inhibitor (3)	Zone 1 Turf & Ornamental	Nonselective/Selective depending on rate, Pre- emergent grass and weed control		Eastside - Restricted for use within 60' of all water	Highly toxic to fish, high potential for loss on eroded soil
Picloram		Growth regulator - pyridinecarboxylic acid synthetic auxin (4)	Noxious and nuisance weed control, Zones 2 and 3	treatment	Highly effective for conifer and broadleaf weed control in Eastern Washington		Highly mobile in soil and readily adsorbed through roots of desirable trees
•	Edict Edict 2SC	Cell membrane disrupter - PPO inhibitor (14)		2,-4-D substitute, effective on Kochia, Russian thistle	Effective with Roundup for Kochia control		Irreversible eye damage, highly toxic to Rainbow Trout

Herbicides Approved for Use on WSDOT Rights of Way

- 1. Always read and follow product labels
- 2. Always use personal protective equipment when mixing, loading, and applying

Chemical Name	Product Names	Mode of Action (WSSA Class)	Where Used	How/Why Used	Notes/ Recommendations	WSDOT Restrictions	Cautions
Sulfentrazone	Portfolio Throttle XP	Cell membrane disrupter - PPO inhibitor (14)	Zone 1 bare-ground	Nonselective pre- emergent grass and weed control	Use caution in sandy soils	Westside - Restricted use Eastside - Restricted for use within 60' of all water	High surface runoff potential, potentially mobile in soil if rain is possible.
Sulfometuron-methyl	Oust Landmark XP Sulfomet Throttle XP	Amino acid synthesis inhibitors - ALS inhibitor (2)	Zone 1 bare-ground	Nonselective pre/post emergent grass and weed control	Landmark is a premix with Oust and Telar	Refer to product labels	Oust has been proven to move with wind if not watered in to the ground
Tebuthiuron	Spike 80DF	Photosynthetic inhibitor - photosystem II, site B (7)	Zone 1 bare-ground	Nonselective pre- emergent grass and weed control		Westside - Restricted use Eastside - Restricted for use within 60' of all water	High surface runoff potential, potentially mobile in soil if rain is possible.
Topramezone	Frequency	Bleaching - carotenoid biosynthesis inhibitor (12)	Zone 1 bare-ground	Nonselective pre- emergent grass and weed control	Use in combination with another bare ground chemical	Refer to product label	Refer to product label
Triclopyr Amine	Capstone, Element 3A, Garlon 3A, Milestone VM Plus	Growth regulator - pyridinecarboxylic acid synthetic auxin (4)	Noxious and nuisance weed control, and tree and brush control, Zones 2 and 3	Selective broadleaf treatment	Works well for scotch broom control	Refer to product label	Can cause irreversible eye damage
Triclopyr Ester	Crossbow, Crossbow L, Element 4, Garlon, Pathfinder	Growth regulator - pyridinecarboxylic acid synthetic auxin (4)	Noxious and nuisance weed control, and tree and brush control, Zones 2 and 3	Selective broadleaf treatment	Works well for cut-stump or basal treatments applications. Crossbow is premixed with 2,4-D, Pathfinder with clopyralid	Restricted for use within 60' of all water	Highly toxic to fish